PANDUIT IN-CABINET Cable Management System



specifications

Cabinet cable management systems shall include components to aide in routing, managing and organizing cable to and from equipment. Panels shall be a flexible design with adjustable mounting. Panels shall be constructed of steel bases with PVC duct attached. Duct fingers shall have score lines for easy removal.



technical information

Dimensions:	CWMPV3440:	70.85"H x 2.937"W x 3.76"D (1800mm x 74.6mm x 95.5mm)		
	CWMPV2440:	70.85"H x 1.953"W x 3.76"D		
		(1800mm x 49.6mm x 95.5mm)		
	CWMPV3340:	70"H x 3.25"W x 3"D		
		(1778.8mm x 82.5mm x 76.2mm)		
	CWMPV2340:	70"H x 2.25"W x 3"D		
		(1778.8mm x 57.1mm x 76.2mm)		
Packaging:	Packaged with mounting hardware and covers			
Mounting options:	Can be front ar	n be front and side mounted and can be used in front and rear cabinets		

key features and benefits

Universal design	Works with the majority of manufacturer's wider cabinet designs	
Modular system	Provides a system solution that can be updated with minimal additional investment	
System solution	Includes slotted finger duct and D-ring options for both vertical and horizontal cable management	
High capacity	Manages and organizes a large number of cables	
Multiple sizes	Designed to work in a variety of cabinet designs	
Multiple adjustable mounting options	Allows use in various applications	

applications

The PANDUIT IN-CABINET System is designed to properly manage and organize patch cords and distribution cable within a cabinet. It provides a system solution including vertical and horizontal panel options. The IN-CABINET System is designed to work with the majority of cabinet designs for maximum flexibility. Multiple sizes are also available to fit a variety of applications. The

IN-CABINET System can be used with multimedia applications including UTP, ScTP, coax and fiber optic cables. It is a completely modular system for use with all PANDUIT® PAN-NET® products for a high performance copper and fiber solution. The IN-CABINET System also works with a variety of PANDUIT Wiring Accessories for complete cable management flexibility.

Side Mount Vertical Panels

3"W x 4"D x 6'H: CWMPV3440 CWMPV2440 2"W x 4"D x 6'H:

Front Mount Vertical Panels

3"W x 3"D x 6'H: CWMPV3340 2"W x 3"D x 6'H: CWMPV2340

Patchlink Horizontal Cable Managers

2 RU front and rear. WMP1E WMPF1E 2 RU front only: 1 RU front and rear: WMPSE **WMPFSE** 1 RU front only:

D-Ring Horizontals

2 RU front and rear: CMPH2 2 RU front only: CMPHF2 2 RU high capacity CMPHH2

front only: 1 RU front and rear: CMPH1 1 RU front only:

CMPHF1 1 RU high capacity

front only: CMPHHF1

Accessories


Bundle retainer: Flat post standoff: Vertical wire saddle: Dual capacity wire wire saddle:

BR2-1.3-A-X PPF2SV-S25-X VWS106-A-C

VWSDC-A-C


PANDUIT IN-CABINET Cable Management System

typical cabinet installation




Side Manager Cabinet Width Formula W = 2A + B + 2C 3/4" minimum recommended for working clearance A GWMPV34xx = 3.8" CWMPV24xx = 2.6"

Front Manager Cabinet Width Formula



	Front Mount Brackets							
Γ	Part	0.	Approx. Height	Cable Diameter				
	Number	Size		.187	.25	3mm		
	CWMPV2340	2"W x 3"D x 40 RU	70"	48	36	180		
	CWMPV3340	3"W x 3"D x 40 RU	70"	72	54	264		

Side Mount Brackets							
Part Number	0:	Approx. Height	Cable Diameter				
	Size		.187	.25	3mm		
CWMPV2440	2"W x 4"D x 40 RU	71.8"	60	48	240		
CWMPV3440	3"W x 4"D x 40 RU	71.8"	96	72	360		



Dimensions are in inches (Dimensions in parentheses are metric)

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA Markham, Ontario cs-cdn@panduit.com Phone: 800.777.3300 PANDUIT EUROPE LTD. London, UK cs-emea@panduit.com Phone: 44.20.8601.7200 PANDUIT SINGAPORE PTE. LTD. Republic of Singapore cs-ap@panduit.com Phone: 65.6379.6700

PANDUIT JAPAN Tokyo, Japan cs-japan@panduit.com Phone: 81.3.3767.7011 PANDUIT LATIN AMERICA Jalisco, Mexico cs-la@panduit.com Phone: 52.333.666.2501 PANDUIT AUSTRALIA PTY. LTD. Victoria, Australia cs-aus@panduit.com Phone: 61.3.9794.9020

For a copy of PANDUIT product warranties, log on to www.panduit.com/warranty



For more information

Visit us at www.panduit.com

Contact Customer Service by email: cs@panduit.com or by phone: 800-777-3300 and reference WW-NCSP27

©2005 PANDUIT Corp. ALL RIGHTS RESERVED. Printed in the U.S.A. WW-NCSP27 11/2005