48 Port 1U Snap-In-Jack Panel

Datasheet: GD067645v9



APPLICATION

The new 48 Port 1U patch panel patch from Brand-Rex is ideal for the data centre environment and for installations where rack space is at a premium. Just 1U in height the new patch panel offers exceptional density accommodating up to 48 terminations in a single U height.

The shielded patch panel offers sufficient labelling space for easy port and panel identification and offers removable rear cable management providing strain relief to ensure optimum link performance.

FEATURES

- 48 Port 1U High Density Patch Panel ideal for high density applications where space is restricted
- Universal size ensures panel will fit into all standard 19" racks and cabinets
- Flexible Solution can be populated with cat6plus and 10Gplus screened jacks
- Supplied with rear cable management to ease routing and prevent cable strain
- Staggered ports offers improved accessibility
- Detachable front facia
- Labelling area individual portidentification
- Lightweight yet robust construction
- Comes complete with accessory kit and installation instructions
- Included in 25 Year System Warranty offering peace of mind



ORDER INFO


Brand-Rex Part Number	Item Description	Colour	Weight per Item (nom)	Qty per Pack
MMCPNLX48SIJ1U2	48 Port SIJ Panel	Black	490g	1


48 Port 1U Snap-In-Jack Panel

Datasheet: GD067645v9



PHYSICAL CHARACTERISTICS





MATERIALS

- Powder Coated Plain Carbon Steel
- ABS ULVO rated Fascia

ENVIRONMENTAL CONDITIONS

- Operating temperature from -10°C to 60°C at 93% relative humidity, non-condensing
- Storage temperature from -40°C to 70°C

COMPATIBILITY MATRIX

Catalogue Number	Description
AC6JAKS000DC	10GPlus Cat 6A Shielded Tool-free Snap-In Jack
C6CJAKS000DC	Cat6Plus Cat 6 Shielded Tool-free Snap-In Jack

"Brand-Rex is **dedicated** to **designing**, **developing** and **manufacturing** sustainable **high performance** structured cabling and speciality **cabling solutions**"

The information contained in this document is valid and correct at the time of issue. Brand-Rex reserves the right to modify details without notice in light of subsequent standard/specification changes and ongoing technical developments.